



Dynablast®

Leading the industry in cold water and
hot water pressure washer manufacturing.

HOT & COLD WATER PRESSURE WASHERS

Trusted for over 30 years

As one of Canada's largest manufacturers and distributors of pressure wash, Hydrovac and light construction equipment and components, we offer unparalleled value and selection.



To ensure we can better serve the ever-growing needs of our customers, **Dynablast operates three strategically located offices across Canada.**

Dynablast's headquarters is located in Mississauga, Ontario—a **newly renovated 54,000-square-foot manufacturing and distribution facility**—supported by additional distribution centers in Laval, Quebec, and Edmonton, Alberta.



@dynablastequipment

Toll Free 1-888-881-6667

dynablast.ca

Contents

Kodiak Pressure Washers	1
KC Series Cold Water Pressure Washers	3
KC Series Cold Water Pressure Washers	4
KCWM Series Cold Water Wall Mounted Pressure Washers	5
Dynablast Cold Pressure Washers	7
DC Series Cold Water Pressure Washers	9
C Series Cold Water Pressure Washers	10
DC Series Cold Water Pressure Washers	11
CR Series Cold Water Pressure Washers	12
RCB5050G Cold Water Pressure Washers	13
CB Series Cold Water Pressure Washers	14
CBH Series High Temperature Pressure Washers	15
HT Series High Temperature Pressure Washers	16
CWM Series Cold Water Wall Mounted Pressure Washers	17
CWM HT Series High Temperature Wall Mounted Pressure Washers	18
Dynablast Hot Water Pressure Washers	21
DGF Series Hot Water Pressure Washers	23
H4035GRGFT Hot Water Pressure Washers	24
HDC Series Hot Water Pressure Washers	25
HDC Series Hot Water Pressure Washers	26
DEF Series Hot Water Pressure Washers	27
BEF Series Hot Water Pressure Washers	28
UHE Series Ultra Hot Water Pressure Washers - B Vent	29
BEN/P Series Hot Water Pressure Washers - A Vent	30
BEE Series Steam Washer Pressure Washers	31
MHGF Series Heater Modules	32
MHGS Series Hot Water Heater Modules	33
MHGE Series Heater Modules	34

Dynablast

JOHN BROOKS

Dynablast is a division of John Brooks.

Founded in 1938, John Brooks is Canada's full service national supplier of filtration equipment, spray nozzles, pumps and engineered systems.



**BUILT IN CANADA.
FOR PROFESSIONALS.**



Cold Water Consumer / Commercial Pro Series Electric	3
Cold Water Pro Series Gasoline	4
Cold Water Wall Mounts Electric	5

KODIAK PRESSURE WASHERS



KC Series Cold Water Pressure Washers



KC2100EPH-TT



KC2100EPC2-TT



KC3100EPC-TT



KC3250EPC-TT

Features:

- Assembled in Canada
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Black Powder Coated Steel Frame
- ETL Certified
- Convertible Cart 2 (Cart Models) with Reversible Handle
- Pneumatic 10" Wheels (Cart Models Only)
- Interpump Triplex Plunger Pumps
- Inlet Strainer
- Thermal Pump Protection
- Built-In Unloader
- Chemical Injector
- Low Pressure Chemical Injector
- Insulated Trigger Gun
- 30 ft High Pressure Hose
- 36" Zinc Coated Lance with Plastic Grip
- 7m Power Cord

	KC2100EPH-TT	KC2100EPC2-TT	KC3100EPC-TT	KC3250EPC-TT
Operating Pressure	1,000 PSI			2,500 PSI
Volume	2.1 GPM		3 GPM	3 GPM
Motor/Engine	1.5 HP		2 HP	5 HP
Pump Speed	1,750 RPM			3,400 RPM
Phase	1			
Voltage	120 V			240 V
Amperage	13.3 A		17.3 A	19.2 A
Dimensions (in)	27" x 15" x 17"	33" x 23" x 26"		
Weight	70 LBS	95 LBS	98 LBS	124 LBS

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Direct Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

KC Series Cold Water Pressure Washers



KCR3250GPC-AR



KCR3250GPC/KCR4400GPC



KC3250GPC2-TT/KC4350GPC2

Features:

- Assembled in Canada
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Black Powder Coated Steel Frame
- Convertible Cart 2 with Reversible Handle
- Pneumatic 10" Wheels
- Interpump or AR Pumps
- Inlet Strainer
- Thermal Pump Protection
- Built-In Unloader
- Chemical Injector
- 36" Zinc Coated Lance with Plastic Grip
- High Pressure Hose
- Insulated Trigger Gun
- Honda or Kodiak Gas Engines
- Engine Oil Alert

	KCR3250GPC-AR	KCR3250GPC	KCR4400GPC	KC3250GPC2-TT	KC4350GPC2
Operating Pressure	2,500 PSI		4,000 PSI	2,500 PSI	4,000 PSI
Volume	3 GPM		4 GPM	3 GPM	4 GPM
Motor/Engine	7 HP Kodiak		15 HP Kodiak	6.5 HP Honda GX200	13 HP Honda GX390
Pump Speed	3,600 RPM				
Pump	AR	Interpump			
Pump Type	Axial	Triplex Plunger			
Built-In Unloader	Yes				
Dimensions (in)	33" x 23" x 26"				
Weight	95 LBS	99 LBS	155 LBS	98 LBS	150 LBS
Hose Length (ft)	30'	30'	50'	50'	50'

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Direct Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

KCWM Series Cold Water Wall Mounted Pressure Washers



KC2100EWM-TT
KC3250EWM-TT



KC2100ETDSWM-TT
KC3250ETDSWM-TT

Features:

- Assembled in Canada
- 7m Power Cord
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Insulated Gun
- 36" Zinc Coated Lance with Plastic Grip
- Low Pressure Chemical Injector
- Interpump Triplex Plunger Pump
- Quick Connect Hose Connectors
- 1.5 or 5 HP Electric Motors
- Heavy Duty Wall Mount Bracket
- 30 ft High Pressure Hose
- Thermal Pump Protection
- ETL Certified
- Inlet Strainer

	KC2100EWM-TT	KC2100ETDSWM-TT	KC3250EWM-TT	KC3250ETDSWM-TT
Operating Pressure	1,000 PSI		2,500 PSI	
Volume	2.1 GPM		3 GPM	
Motor/Engine	1.5 HP		5 HP	
Pump Speed	1,750 RPM		3,400 RPM	
Phase	1			
Voltage	120 V		240 V	
Amperage	13.3 A		19.2 A	
Time Delay Shutdown	No	Yes	No	Yes
Dimensions (in)	21" x 15" x 25"	21" x 15" x 30"	23" x 15" x 25"	21" x 15" x 30"
Weight	108 LBS	111 LBS	178 LBS	185 LBS

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Direct Drive


Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**



Dynablast[®]

Cold Water Pro Series Electric	9-10
Cold Water Pro Series Gasoline	11-13
Cold Water Pro Series Electric	14
High Temperature Pro Series Electric	15-16
Cold Water Wall Mount Units Electric	17
High Temperature Wall Mount Units Electric	18

DYNABLAST COLD PRESSURE WASHERS



DC Series Cold Water Pressure Washers

Dynablast



DC2010DE1



DC3621DE1/T1/T3D



DC4030EHD1/T1*

Features:

- Assembled in Canada
- 7m Power Cord
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Convertible Cart 2 with Reversible Handle
- Black Powder Coated Steel Frame
- Pneumatic 10" Wheels
- Interpump Triplex Plunger Pump
- Inlet Strainer
- Thermal Pump Protection
- Adjustable Chemical Injector
- External Unloader
- 36" Zinc Coated Lance with Plastic Grip
- 50 ft High Pressure Hose
- Insulated Trigger Gun
- Optional Time Delay Shutdown
- Optional Hose Reel (CC2HRKIT100)
- ETL Certified

	DC2010DE1	DC3621DE1	DC3621DET1	DC3621DET3D	DC4030EHD1	DC4030EHDT1
Operating Pressure	1,000 PSI	2,100 PSI			3,000 PSI	
Volume	2.1 GPM	3.6 GPM			4 GPM	
Motor/Engine	1.5 HP Electric	5 HP Electric			7.5 HP Electric	
Pump Speed	1,750 RPM					
Phase	1			3	1	
Voltage	120 V	240 V		575 V	240 V	
Amperage	13.3 A	23.2 A		4.94 A	31 A	
Time Delay Shutdown	No	No	Yes		No	Yes
Dimensions (in)	33" x 23" x 26"					
Weight	100lbs	180lbs	190lbs		252lbs	285lbs

*DC4030EHD1/T1 CAN ONLY BE USED IN LOWBOY CONFIGURATION

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Direct Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

C Series Cold Water Pressure Washers

Dynablast



C4030DEHR



C4030DET/3D



C5030DET1/3D

Features:

- Assembled Canada
- 7m Power Cord
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Black Powder Coated Steel Frame
- Pneumatic 13" Wheels
- Interpump Triplex Plunger Pump
- Inlet Strainer
- Thermal Pump Protection
- Adjustable Downstream Chemical Injector
- External Unloader
- 48" Stainless Steel Lance
- 50 ft High Pressure Hose
- Insulated Trigger Gun
- Optional Time Delay Shutdown
- Optional Hose Reel Kit (HR3KIT)
- ETL Certified

	C4030DEHR	C4030DET	C4030DET3D	C5030DET1	C5030DET3D
Operating Pressure	3,000 PSI				
Volume	4 GPM			5 GPM	
Motor/Engine	7.5 HP			10 HP	
Pump Speed	1,750 RPM				
Phase	1		3	1	3
Voltage	240 V		575 V	240 V	575 V
Amperage	31 A		7.08 A	41.8 A	9.55 A
Time Delay Shutdown	No	Yes	Yes		
Dimensions (in)	41" x 31" x 24"				
Weight	270lbs				

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Close Coupled

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

DC Series Cold Water Pressure Washers

Dynablast

Powered by
HONDA
ENGINES



DC3250GHD-TT



DC4040GHD/GRHD

Features:

- Assembled in Canada
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Pneumatic 10" Wheels
- Convertible Cart 2 (Cart Models)
- Interpump Triplex Plunger Pumps
- Inlet Strainer
- Thermal Pump Protection
- Low Pressure Chemical Injector
- Pressure Gauge
- Black Powder Coated Steel Frame
- 50 ft High Pressure Hose
- 36" Zinc Coated Lance with Plastic Grip

	DC3250GHD-TT	DC4040GHD	DC4040GRHD
Operating Pressure	2,500 PSI	4,000 PSI	
Volume	3 GPM	4 GPM	
Engine	6.5 HP Honda GX200	13 HP Honda GX390	
Pump Speed	3,600 RPM		1,800 RPM Gear Reduced
External Unloader	Yes		
Gear Reduced	No		Yes
Dimensions (in)	33" x 23" x 26"		
Weight	98lbs	150lbs	160lbs

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Direct Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

CR Series Cold Water Pressure Washers

Dynablast



Powered by
HONDA
ENGINES

CR4035BG(S)

Features:

- Assembled in Canada
- Downstream Adjustable Chemical Injector
- Quick Connect Hose Connectors
- Honda GX390 Gasoline Engine with Low Oil Alert System
- Clear Inlet Filter
- External Unloader with Easy Start Valve
- Interpump Triplex Plunger Pump
- 13" Pneumatic Tires
- Pressure Gauge
- Five Quick Connect
- Nozzles (0°, 15°, 25°, 40° and Soap)
- Powder Coated Steel Frame
- 50' High Pressure Hose
- Quality Gun and Stainless Steel Lance Combination
- Vented Belt Guard: Reduces heat and improves belt life
- Pump Tensioner: Easier belt adjustment
- Inlet Strainer
- Pressure Gauge

	CR4035BG	CR4035BGS
Operating Pressure	3,500 PSI	
Volume	3.8 GPM	
Engine	13 HP Honda GX390	
Pump Speed	1,450 RPM	
Electric Start	No	Yes
External Unloader	Yes	
Dimensions (in)	32" x 27" x 25"	
Weight	175lbs	180lbs

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Belt Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

RCB5050G Cold Water Pressure Washers

Dynablast



Powered by
HONDA
ENGINES

RCB5050G

Features:

- Assembled in Canada
- 24 HP Honda V Twin GX690 with Electric Start
- New Adjustable Belt Tensioner
- Easy to Access Belts
- External Unloader
- T5050B Interpump Triplex Plunger Pump
- 6,000 PSI Rated 50' Hose
- RL57 Gun/ Lance Combo
- 13" Pneumatic Tires
- 1 1/2" Roll Cage
- Lifting Hook
- 6 Gal Fuel Tank
- Powder Coated Steel Frame
- U1 Battery not included*
- Inlet Strainer
- Pressure Gauge

	RCB5050G
Operating Pressure	5,000 PSI
Volume	5.0 GPM
Engine	24HP Honda V-Twin GX690
Pump Speed	1,845 RPM
Electric Start	Yes
External Unloader	Yes
Dimensions (in)	40" x 26" x 43"
Weight	440lbs

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Belt Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

CB Series Cold Water Pressure Washers

Dynablast



CB430E1T/3DT | CB530E1T/3DT



CB550E3DT

Features:

- Assembled in Canada
- Downstream Adjustable Chemical Injector
- Quick Connect Hose Connectors
- Inlet Strainer
- 7.5, 10, 20 HP Slow Speed TEFC Motors
- Interpump Triplex Plunger Pump
- External Unloader
- New Adjustable Belt Tensioner
- Easy to Access Belts
- 6,000 PSI, 50' Hose
- RL37 Gun/ Lance Combo
- 13" Wheels
- Time Delay Shutdown
- Powder Coated Steel Frame
- 7M Power Cord
- ETL Certified

NEW!

	CB430E1T	CB430E3DT	CB530E1T	CB530E3DT	CB550E3DT
Operating Pressure	2,800 PSI		3,000 PSI		5,000 PSI
Volume	4 GPM		5 GPM		
Motor/Engine	7.5 HP		10 HP		20 HP
Pump Speed	1,264 RPM		1,325 RPM		1,360 RPM
Phase	1	3	1	3	
Voltage	240 V	575 V	240 V	575 V ONLY	
Amperage	31 A	7.09 A	41.8 A	9.55 A	19.1 A
Time Delay Shutdown	Yes				
Dimensions (in)	45" x 31" x 35"				
Weight	363lbs	291lbs	385lbs	309lbs	515lbs

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

CBH Series High Temperature Pressure Washers

Dynablast



CBH530E1T | CBH530E3DT

Features:

- Assembled in Canada
- External Unloader
- New Adjustable Belt Tensioner
- 13" Wheels
- Downstream Adjustable Chemical Injector
- 10 HP Slow Speed TEFC Motors
- Easy to Access Belts
- Time Delay Shutdown
- Quick Connect Hose Connectors
- 185°F Water Temperature Interpump HT Pump
- 6,000 PSI, 50' Hose
- Powder Coated Steel Black Frame
- 7M Power Cord
- ETL Certified
- RL37 Gun/ Lance Combo

	CBH530E1T	CBH530E3DT
Operating Pressure	3,000 PSI	
Volume	5.0 GPM	
Motor/Engine	10HP	
Pump Speed	1,325 RPM	1,360 RPM
Phase	1	3
Voltage	240 V	575 V only
Amperage	41.8 A	9.55 A
Time Delay Shutdown	Yes	
Dimensions (in)	45" x 31" x 35"	
Weight	309lbs	

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

HT Series High Temperature Pressure Washers

Dynablast



DC5004HTCC2/DC1904HTCC2



DC5004HTDSCC2/DC1904HTDSCC2/DC1904HTDSE3CC2

Features:

- Assembled in Canada
- 185°F Water Temperature Interpump HT Pump
- Thermal Pump Protection
- Inlet Strainer
- Convertible Cart 2 With Reversible Handle
- 7m Power Cord
- Powder Coated Steel Frame
- Quick Connect Hose Connectors
- 1 Fixed Nozzle
- 36" Stainless Steel Side Handle Lance with Plastic Grip
- Close Coupled
- External Unloader
- 1.5, or 5 HP Slow Speed TEFC Motors
- 4,000 PSI, Blue Hose
- 10" Wheels
- ETL Certified

	DC5004HTCC2	DC1904HTCC2	DC5004HTDSCC2	DC1904HTDSCC2	DC1904HTDSE3CC2
Operating Pressure	500 PSI	1,900 PSI	500 PSI	1,900 PSI	
Volume	4 GPM				
Motor/Engine	1.5 HP	5 HP	1.5 HP	5 HP	
Pump Speed	1,750 RPM				
Phase	1				3
Voltage	120 V	240 V	120 V	240 V	575V
Amperage	13.3 A	23.2 A	13.3 A	23.2 A	4.94 A
Time Delay Shutdown	No		Yes		
Dimensions (in)	40" x 22" x 35"				
Hose Length	30 FT Blue	50FT Blue	30 FT Blue	50FT Blue	
Weight	100lbs	195lbs	125lbs	205lbs	195lbs

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Close Coupled

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

CWM Series Cold Water Wall Mounted Pressure Washers

Dynablast



CWM210DE1-TT/ CWM210DET1-TT/
CWM310DE1-TT/ CWM310DET1-TT/
CWM3621DE1/ CWM3621DET1/
CWM3621DET3D

Features:

- Assembled in Canada
- 7m Power Cord
- Inlet Strainer
- 1.5, 2.5 HP Slow Speed TEFC Motors
- Quick Connect Hose Connectors
- External Unloader
- Five Quick Connect Nozzles (0°, 15°, 25°, 40° and Soap)
- Downstream Adjustable Chemical Injector
- Interpump Triplex Plunger Pump
- 50' Hose
- 36" Zinc Coated Lance with Plastic Grip
- Heavy Duty Wall Mount Bracket
- Thermal Pump Protection
- ETL Certified

	CWM210DE1-TT	CWM210DET1-TT	CWM310DE1-TT	CWM310DET1-TT
Operating Pressure	1,000 PSI			
Volume	2 GPM		3 GPM	
Motor/Engine	1.5 HP		2 HP	
Pump Speed	1,750 RPM			
Phase	1			
Voltage	120 V			
Amperage	13.3 A		17.3 A	
Time Delay Shutdown	No	Yes	No	Yes
Dimensions (in)	21" x 15" x 25"			
Weight	108 LBS	111 LBS	113 LBS	116 LBS

	CWM3621DE1	CWM3621DET1	CWM3621DET3D
Operating Pressure	2,100 PSI		
Volume	3.6 GPM		
Motor/Engine	5 HP		
Pump Speed	1,750 RPM		
Phase	1		3
Voltage	240 V		575 V
Amperage	23.2 A		4.94 A
Time Delay Shutdown	No	Yes	
Dimensions (in)	23" x 15" x 25"	26" x 15" x 30"	
Weight	178 LBS	181 LBS	

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Direct Drive

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

CWM HT Series High Temperature Wall Mounted Pressure Washers

Dynablast



CWM1904HTDS1/
CWM1904HTDS3D

Features:

- Assembled in Canada
- 185°F Water Temperature Interpump HT Pump
- 1 Fixed Nozzle
- 7m Power Cord (CWM1904HTDS3D only)
- 36" Stainless Steel Side Handle Lance with Plastic Grip
- Interpump Triplex Plunger Pump
- Quick Connect Hose Connectors
- Close Coupled
- 1.5, 2.5 hp slow speed TEFC motors
- External Unloader
- Heavy Duty Wall Mount Bracket
- 50' Blue Hose
- Thermal Pump Protection
- ETL Certified
- Intel Strainer

	CWM1904HTDS1	CWM1904HTDS3D
Operating Pressure	1,900 PSI	
Volume	4 GPM	4 GPM
Motor/Engine	5 HP	
Pump Speed	1,750 RPM	
Phase	1	3
Voltage	240 V	575 V
Amperage	23.2 A	4.94 A
Time Delay Shutdown	Yes	
Dimensions (in)	21" x 15" x 30"	
Weight	190 LBS	

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Close Coupled

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

Dynablast



Dynablast[®]

Hot Water Gasoline Fuel Oil Heated Direct Drive	23
Hot Water Gasoline Belt Drive/Gear Reduced	24-26
Hot Water Electric Fuel Oil Heated Direct Drive	27
Hot Water Electric Fuel Oil Heated Belt Drive.....	28
Ultra Hot Natural Gas or Propane Belt Drive	29
Hot Water Natural Gas or Propane Belt Drive	30
Hot Water Electric Electric Heated Belt Drive	31
Hot Water Natural Gas or Propane Heater Modules	32-34

DYNABLAST HOT WATER PRESSURE WASHERS

Dynablast

DGF Series Hot Water Pressure Washers

Dynablast



H3025DGF



H4035DGF/GRGF



H4035DGF



HK4030DDF

Features:

- Downstream Chemical Injector
- 50' High Pressure Hose
- Easy Access Control Panel with Replaceable Fuse
- High Pressure Blow Off Valve
- 0°, 15°, 25° & Soap QC Nozzles
- Easy Access On/Off Rocker Switch
- Becket Burners
- Inlet Strainer

	H3025DGF	H4035DGFAR	H4035DGF	H4035GRGF	H4035DGF	HK4030DDF
Operating Pressure	2,500 PSI	3,500 PSI				3,000 PSI
Volume	3.0 GPM	3.8 GPM			4.0 GPM	4.0 GPM
Motor	6.5HP Honda GX200	13HP Honda GX390			14HP Vanguard	v10HP Kohler
Pump Speed	3,600 RPM			1,750 RPM Gear Reduced	3,600 RPM	3,600 RPM
BTU	170,000		290,000			
Burner	12V					
Burner Fuel	Fuel Oil					
Dimensions (in)	40" x 26" x 43"	44" x 37" x 39"	40" x 28" x 43"			
Weight	330lbs	420lbs	440lbs			455lbs

*BATTERIES NOT INCLUDED - U1 BATTERY REQUIRED FOR H3025DGF | GROUP 75 BATTERY REQUIRED FOR ALL OTHER MODELS

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Direct Drive

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

H4035GRGFT Hot Water Pressure Washers

Dynablast

Powered by
HONDA
ENGINES



H4035GRGFT

Features:

- Assembled in Canada
- Downstream Adjustable Chemical Injector
- Quick Connect Hose Connectors
- Honda GX390 Electric Start
- Inlet Strainer
- Interpump Triplex Plunger Pump
- External Unloader
- 50' Hose with Quick Connects
- 4.4 Gal Fuel Oil Tank
- Powder Coated Steel Frame
- Optional Hose Reel

	H4035GRGFT
Operating Pressure	3,500 PSI
Volume	3.8 GPM
Motor/Engine	13 HP Gas Honda GX390
Pump Speed	1,750 RPM
BTU	290,000
Burner	12 Volt
Burner Fuel	Fuel Oil
External Unloader	Yes
Electric Start	Yes
Dimensions (in)	77" x 51" x 42"
Weight	836 LBS

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Gear Reduced

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

HDC Series Hot Water Pressure Washers

Dynablast



Powered by
HONDA
ENGINES

HDC5035BGFH | HDC8035BGFH

Features:

- Assembled in Canada
- Honda V-Twin Electric Start Engine
- Inlet Strainer
- External Unloader
- Interpump Triplex Plunger Pump
- 48" Vented Lance
- 50' Hose
- 11.9 Gal Diesel Tank
- 6.4 Gal Gas Tank
- Large Burner Temperature Dial
- Stainless Steel Coil Skin
- Easy Access On/Off Toggle Switch
- Heavy Duty 1.5" Tube Frame

	HDC5035BGFH	HDC8035BGFH
Operating Pressure	3,500 PSI	3,000 PSI
Volume	5.0 GPM	7.8 GPM
Motor/Engine	20 HP Gas Honda GX630	24 HP Gas Honda GX690
Pump Speed	1,450 RPM	1,750 RPM
BTU	290,000	370,000
Burner	12 Volt	
Burner Fuel	Fuel Oil	
External Unloader	Yes	
Electric Start	Yes	
Dimensions (in)	55" x 27" x 46"	55" x 27" x 48"
Weight	596 LBS	700 LBS

*OPTION FOR STAINLESS STEEL FRAME AVAILABLE

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

HDC Series Hot Water Pressure Washers

Dynablast

Powered by
HONDA
ENGINES



HDC5235GHSS | HDC5050GHSS | HDC8030GHSS

Features:

- Assembled in Canada
- Downstream Adjustable Chemical Injector
- Quick Connect Hose Connectors
- Honda V Twin engines with Electric Start
- Interpump Triplex Plunger Pump
- External Unloader
- 50' Hose with Quick Connects
- 12 Gal Fuel Tank
- Inlet Strainer
- 12 Gal Fuel Oil Tank (No. 1 or No. 2 Fuel Oil)
- Powder Coated Steel Frame

	HDC5235GHSS	HDC5050GHSS	HDC8030GHSS
Operating Pressure	3,500 PSI	5,000 PSI	3,000 PSI
Volume	5.2 GPM	5 GPM	8 GPM
Motor/Engine	20 HP Gas Honda GX630	24 HP Gas Honda GX690	
Pump Speed	1,350 RPM	1,750 RPM	1,350 RPM
BTU	420,000		
Burner	12 Volt		
Burner Fuel	Fuel Oil		
External Unloader	Yes		
Electric Start	Yes		
Dimensions (in)	60.5" x 30" x 54"		
Weight	675 LBS		

Pressure Wash Fuel Type:

Gasoline Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

DEF Series Hot Water Pressure Washers

Dynablast



H2015DEF1



H3025DEF1



H3028DEF1



H3621DEF1/H4030DEF1

Features:

- Assembled in Canada
- 0°, 15°, 25° & Soap QC Nozzles
- Techtop TEFC Industrial Motor
- Becket Burners
- Downstream Chemical Injector
- Easy Access On/Off Rocker Switch
- Easy Access Control Panel with Replaceable Fuse
- High Pressure Blow Off Valve
- 50' High Pressure Hose
- Inlet Strainer
- 7m Power Cord

	H2015DEF1	H3025DEF1	H3025DEF1L	H3028DEF1	H3621DEF1	H4030DEF1
Operating Pressure	1,500 PSI	2,500 PSI	2,500 PSI	2,800 PSI	2,100 PSI	3,000 PSI
Volume	2.0 GPM	3.0 GPM	3.0 GPM	3.0 GPM	3.6 GPM	4.0 GPM
Motor	2HP Electric	5HP Electric				7 HP Electric
Pump Speed	3,450 RPM			1,750 RPM		
BTU	172,000	260,000	172,000	172,000	300,000	
Burner	120V	240V				
Burner Fuel	Fuel Oil					
Amperage	20 A	25 A				35 A
Time Delay Shutdown	No	Yes	Yes	Yes	Yes	Yes
Dimensions (in)	42" x 26" x 40"	42" x 28" x 43"	36" x 28" x 37"	43" x 30" x 29"	43" x 30" x 43"	43" x 30" x 43"
Weight	290lbs	420lbs	400lbs	450lbs	560lbs	650lbs

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Direct Drive

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

BEF Series Hot Water Pressure Washers

Dynablast



H3620BEF1 | H4030BEF1/3A/3B/3C/3D

Features:

- Assembled in Canada
- Downstream Adjustable Chemical Injector
- Quick Connect Hose Connectors
- Interpump Triplex Plunger Pump
- External Unloader
- 50' Hose with Quick Connects
- 8.8 Gal Fuel Oil Tank
- Powder Coated Steel Frame
- Time Delay Shut Down
- Schedule 80 Heating Coil
- Techtop TEFC Industrial Motor
- Inlet Strainer

	H3620BEF1	H4030BEF1/3A/3B/3C/3D
Operating Pressure	2,000 PSI	3,000 PSI
Volume	3.6 GPM	3.8 GPM
Motor/Engine	5 HP Electric	7.5 HP Electric
Voltage (1 phase)	240	
Voltage (3 phase)	-	208/240/460/575
Amps (1,3A,3B,3C,3D)	27	35/24/22/12/9
Pump Speed	1,450 RPM	
BTU	315,000	
Burner Fuel	Fuel Oil	
External Unloader	Yes	
Time Delay Shutdown	Yes	
Dimensions (in)	54" x 31" x 46"	
Weight	580 LBS	600 LBS

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

UHE Series Ultra Hot Water Pressure Washers - B Vent

Dynablast



UHE422BEN/P | UHE430BEN/P | UHE520BEN/P | UHE530BEN/P

Features:

- Assembled in Canada
- Low Pressure Adjustable Chemical Injector
- Quick Connect Hose Connectors
- 0°, 15°, 25° & Soap QC Nozzles
- Heavy Duty Steel Frame
- Inlet Strainer
- 24V Electronic Ignition
- High Pressure Blow-Off Valve
- High Efficiency Burner
- Belt Drive
- Large Burner Temperature Dial
- External Unloader
- Time Delay Shutdown
- 48" Lance/ Gun Combo
- 50' High Pressure Hose
- Stainless Steel Coil Skin
- Louvered Guard
- Interpump Triplex Plunger Pump
- Easy Access On/Off Rotary Switch
- Large Stainless Steel Float Tank
- Hinged Access Panel
- Pressure Gauge
- Techtop TEFC Industrial Motor
- Flow Switch - For added safety.
- B-Vent Rated
- High pressure soap with stainless steel float tank optional
- Draft Hood Included

	UHE422BEN/P*	UHE430BEN/P*	UHE520BEN/P*	UHE530BEN/P*
Operating Pressure	2,200 PSI	3,000 PSI	2,000 PSI	3,000 PSI
Volume	4.0 GPM		5.0 GPM	
Motor/Engine	5HP Electric	7.5HP Electric		10HP Electric
Voltage (1 phase)	240 (1)			
Voltage (3 phase)	208 (3A) / 240 (3B) / 460 (3C) / (3D) 575			
Amps (1,3A,3B,3C,3D)	24/15/13/7/5	33/22/20/10/8		40/30/27/14/10
Pump Speed	1,450 RPM			
BTU	350,000			
External Unloader	Yes			
Time Delay Shutdown	Yes			
Dimensions (in)	47"x23"x41"			
Weight	560 LBS	580 LBS		600 LBS
Fuel	N (natural gas) / P (propane)			

* ADD TO PART # - 1 (230V) 3A (208V), 3B (240V), 3C (460V), 3D (575V)

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Natural Gas or Propane

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

BEN/P Series Hot Water Pressure Washers - A Vent

Dynablast



H3620BEN/P | H4030BEN/P | H5030BEN/P

Features:

- Assembled in Canada
- Low Pressure Adjustable Chemical Injector
- Quick Connect Hose Connectors
- 0°, 15°, 25° & Soap QC Nozzles
- Heavy Duty Steel Frame
- High Pressure Blow-Off Valve
- 24V Electronic Ignition
- Large Burner Temperature Dial
- Time Delay Shutdown
- 48" Lance/ Gun Combo
- 50' High Pressure Hose
- Stainless Steel Coil Skin
- Interpump Triplex Plunger Pump
- Belt Drive
- External Unloader
- Easy Access On/Off Rotary Switch
- Techtop TEFC Industrial Motor
- Flow Switch - For added safety
- A Vent Rated
- Inlet Strainer
- Draft Hood Included

	H3620BEN/P*	H4030BEN/P*	H5030BEN/P*
Operating Pressure	2,000 PSI	3,000 PSI	
Volume	3.6 GPM	4.0 GPM	5.0 GPM
Motor/Engine	5HP Electric	7.5HP Electric	10HP Electric
Voltage (1 phase)	-		
Voltage (3 phase)	208/230/460/575	208/230/460/575	
Amps (1,3A,3B,3C,3D)	24/15/13/7/6	34/23/20/10/8	40/31/27/14/10
Pump Speed	1,450 RPM		
BTU	345,000		
External Unloader	Yes		
Time Delay Shutdown	Yes		
Dimensions (in)	47"x23"x41"		
Weight	530 LBS	540 LBS	560 LBS
Fuel	N (natural gas) / P (propane)		

* ADD TO PART # - 1 (230V) 3A (208V), 3B (240V), 3C (460V), 3D (575V)

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Natural Gas or Propane

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

BEE Series Steam Washer Pressure Washers

Dynablast



H2015BEE3C/D | H3123BEE363C/D | H3123BEE483D | H3620BEE723C/D
H4030BEE483D | H4030BEE3C/D | H5030BEE3C/D | H7120BEE3C/D

Features:

- Assembled in Canada
- Downstream Chemical Injector
- Quick Connect Hose Connectors
- 0°, 15°, 25° & Soap QC Nozzles
- Stainless Steel Hood
- Large Burner Temperature Dial
- Auto Start/Stop
- Time Delay Shutdown
- 50' High Pressure Hose
- 48" Lance and Gun Combo
- Hour Meter
- Interpump Triplex Plunger Pump
- High Efficiency Heat Exchanger
- High Pressure Blow-Off Valve
- Inlet Strainer
- Techtop TEFC Industrial Motor
- Low Water Shutdown
- 24 Volt Operating Controls
- Solid Steel Casters with Rubber Feet

	H2015BEE3C/D	H3123BEE363C/D	H3123BEE483D	H3620BEE723C/D
Operating Pressure	1,500	2,300		2,000
Volume	2.0	3.1		3.6
Motor/Engine	2HP Electric	5HP Electric		
Voltage	460 / 575		575	460 / 575
Amperage	50/40	55/45	55	100/80
Phase	3			
Pump Speed	1,400 RPM			
Dimensions (in)	34" x 22" x 21"			
Weight	480 LBS	490 LBS		

	H4030BEE483D	H4030BEE3C/D	H5030BEE3C/D	H7120BEE3C/D
Operating Pressure	3,000			2,000
Volume	4.0	-	5.0	7.1
Motor/Engine	7.5HP Electric		10HP Electric	
Voltage	575	460 / 575		
Amperage	60	105/85	110/90	
Phase	3			
Pump Speed	1,400 RPM			
Dimensions (in)	34"x22"x31"			
Weight	500 LBS		520 LBS	

Pressure Wash Fuel Type:

Electric Pressure Washer

Drive Type:

Belt Drive

Heater Fuel:

Electric

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

MHGF Series Heater Modules

Dynablast



MHG400F

Features:

- Assembled in Canada
- Stainless Steel Coil Skin
- Heavy Duty Steel Frame
- 4 GPM Flow Rate
- Quick Connect Hose Connectors
- Pre-Drilled Pump Holes
- Large Burner Temperature Dial
- 13" Pneumatic Tires
- Cold Water Quick Connect
- 8.8 Gal Fuel Oil Tank
- High Pressure Blow Off Valve
- 120V Beckett Burner
- Easy Access On/ Off Burner Switch

	MHG400F
Operating Pressure	3,500 PSI
BTU	315,000
Burner	120 Volt
Burner Fuel	Fuel No.1 or No. 2
Dimensions (in)	54" x 30" x 45"
Weight	380 LBS

Pressure Wash Fuel Type:

Fuel Oil Heated Pressure Washer

Heater Fuel:

Fuel Oil

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

MHGS Series Hot Water Heater Modules

Dynablast



MHGSQ35N/P | MHGSQ35N/PEI | MHGE500NSQ/PSQ

Features:

- Assembled in Canada
- 4 GPM Flow Rate
- Burner On/Off Switch
- Igniter
- Burner Temperature Control
- High Pressure Blow-Off Valve
- Quick Connect Hose Connectors
- Water Drip Pan Included
- Stainless Steel Coil Skin
- Cold Water Quick Connect
- Gas Valve Control
- Draft Hood Included

	MHGSQ35N/P	MHGSQ35N/PEI	MHGE500NSQ/PSQ
Operating Pressure	3,500 PSI		
BTU	345,000		
Gas Valve Control	Millivolt	120 Volt - 24 Volt Transformer	
Fuel	N (natural gas) / P (propane)		
Vent Type	A	A	B
Dimensions (in)	24"x22"x44"		24"x22"x47"
Weight	290 LBS		310 LBS

Pressure Wash Fuel Type:

NG or LP Heated Pressure Washer

Heater Fuel:

Natural Gas or Propane

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**

MHGE Series Heater Modules

Dynablast



MHGE500N/P



MHGE700N/P | MHGE900N/P

Features:

- Assembled in Canada
- Polyester Powder Finish
- Electronic Pilot Igniter
- High/Low Heat Settings
- High Limit Switch
- B-Vent Rated
- High Pressure Relief Valve
- 120 Volt - 24 Volt Transformer
- Flow Switch
- Safety Interlock Thermostat
- High Efficiency Heat Exchanger
- Draft Hood Included w/ MHGE500N/P

	MHGE500N/P	MHGE700N/P	MHGE900N/P
Operating Pressure	3,500 PSI		
Volume	4.0 - 5.0	6.0 - 8.0	9.0 - 10
Fuel	N (natural gas) / P (propane)		
Voltage (1 phase)	120 V / 240 V		
Draft Size	8"	10"	12"
Coil	3/4" SCH80		
BTU	350,000	525,000	650,000
Dimensions (in)	24"x22"x47"	39"x27"x60"	39"x27"x64"
Weight	310 LBS	800 LBS	900 LBS

COMPATIBLE DYNABLAST MOTOR PUMP ASSEMBLY UNIT	MPUB530E1 OR MPUB530E3D	MPUB730E3D OR MPUB830E3D	MPUB1030E3D
	3,000 PSI		
	5.0 GPM	7.0 to 8.0 GPM	10 GPM
	230V 1PH or 575V 3PH	575V 3PH	

Pressure Wash Fuel Type:

Fuel Oil Heated Pressure Washer

Heater Fuel:

Natural Gas or Propane

Dynablast

JOHN BROOKS

Toll Free 1-888-881-6667
dynablast.ca



**BUILT IN CANADA.
FOR PROFESSIONALS.**



Dynablast[®]